# DELTA CONFIGURATION YOKE PLATES




| Material: Steel plate EN-10025 (similar to ASTM A36 or ASTM A572<br>Steel parts finish: Hot dip galvanising ASTM A153. | |
|---|---|
| **Reference:** | YT-30-9-Ø1.1/4-AM |
| **Aproximate weight:** | 13.50 lb |
| **Rated Breaking Strenght:** | 30,000 lb |

NOTE: Any another reference can be manufactured upon request.




| Material: Steel plate EN-10025 (similar to ASTM A36 or ASTM A572<br>Steel parts finish: Hot dip galvanising ASTM A153. | |
|---|---|
| **Reference:** | YTC-30-18-Ø1.1/4-HT-AM |
| **Aproximate weight:** | 14.20 lb |
| **Rated Breaking Strenght:** | 30,000 lb |

NOTE: Any another reference can be manufactured upon request.




| Material: Steel plate EN-10025 (similar to ASTM A36 or ASTM A572<br>Steel parts finish: Hot dip galvanising ASTM A153. | |
|---|---|
| **Reference:** | YTC-40-18-Ø1.1/4-HT-AM |
| **Aproximate weight:** | 15.00 lb |
| **Rated Breaking Strenght:** | 40,000 lb |

NOTE: Any another reference can be manufactured upon request.




| Material: Steel plate EN-10025 (similar to ASTM A36 or ASTM A572<br>Steel parts finish: Hot dip galvanising ASTM A153. | |
|---|---|
| **Reference:** | YTC-40-13-Ø15/16-Ø11/16-AM |
| **Aproximate weight:** | 9.70 lb |
| **Rated Breaking Strenght:** | 40,000 lb |

NOTE: Any another reference can be manufactured upon request.

Industrias Arruti

# DELTA CONFIGURATION YOKE PLATES




| Material: Steel plate EN-10025 (similar to ASTM A36 or ASTM A572 Steel parts finish: Hot dip galvanising ASTM A153. | |
|---|---|
| **Reference:** | YTC-50-18-Ø1.1/8-Ø1 1/4-HT-AM |
| **Aproximate weight:** | 19.80 lb |
| **Rated Breaking Strenght:** | 50,000 lb |

NOTE: Any another reference can be manufactured upon request.




| Material: Steel plate EN-10025 (similar to ASTM A36 or ASTM A572 Steel parts finish: Hot dip galvanising ASTM A153. | |
|---|---|
| **Reference:** | YT-50-18-Ø1.1/4-AM |
| **Aproximate weight:** | 9.70 lb |
| **Rated Breaking Strenght:** | 50,000 lb |

NOTE: Any another reference can be manufactured upon request.




| Material: Steel plate EN-10025 (similar to ASTM A36 or ASTM A572 Steel parts finish: Hot dip galvanising ASTM A153. | |
|---|---|
| **Reference:** | YTC-60-18-Ø1.3/16-Ø1.1/8-HT-C- |
| **Aproximate weight:** | 23.10 lb |
| **Rated Breaking Strenght:** | 60,000 lb |

NOTE: Any another reference can be manufactured upon request.




| Material: Steel plate EN-10025 (similar to ASTM A36 or ASTM A572 Steel parts finish: Hot dip galvanising ASTM A153. | |
|---|---|
| **Reference:** | YT-60-13-Ø15/16-Ø11/16-AM |
| **Aproximate weight:** | 12.10 lb |
| **Rated Breaking Strenght:** | 60,000 lb |

NOTE: Any another reference can be manufactured upon request.

Industrias Arruti

# DELTA CONFIGURATION YOKE PLATES




| Material: Steel plate EN-10025 (similar to ASTM A36 or ASTM A572<br>Steel parts finish: Hot dip galvanising ASTM A153. | |
|---|---|
| **Reference:** | YT-72-18-Ø1.1/4-Ø15/16-HT-AM |
| **Aproximate weight:** | 19.60 lb |
| **Rated Breaking Strenght:** | 72,000 lb |

NOTE: Any another reference can be manufactured upon request.




| Material: Steel plate EN-10025 (similar to ASTM A36 or ASTM A572<br>Steel parts finish: Hot dip galvanising ASTM A153. | |
|---|---|
| **Reference:** | YT-80-18-Ø1.1/4-HT-C-AM |
| **Aproximate weight:** | 23.50 lb |
| **Rated Breaking Strenght:** | 80,000 lb |

NOTE: Any another reference can be manufactured upon request.




| Material: Steel plate EN-10025 (similar to ASTM A36 or ASTM A572<br>Steel parts finish: Hot dip galvanising ASTM A153. | |
|---|---|
| **Reference:** | YT-90-18-Ø1.1/16-Ø15/16-AM |
| **Aproximate weight:** | 24.60 lb |
| **Rated Breaking Strenght:** | 90,000 lb |

NOTE: Any another reference can be manufactured upon request.




| Material: Steel plate EN-10025 (similar to ASTM A36 or ASTM A572<br>Steel parts finish: Hot dip galvanising ASTM A153. | |
|---|---|
| **Reference:** | YT-100-18-Ø1.1/4-Ø15/16-AM |
| **Aproximate weight:** | 28.70 lb |
| **Rated Breaking Strenght:** | 100,000 lb |

NOTE: Any another reference can be manufactured upon request.

Industrias Arruti